

County Emergency Management Capabilities Assessment

EMERGENCY OPERATIONS CENTER (EOC):

Date:
Director:
Address:

Phone Numbers: Facility: Director:

Total Square Feet: Staff Size:

Electro Magnetic Pulse Protection?

Emergency Power:

 KW Size:

 Fuel Type:

 Tank/Supply Size:

 Automatic Switching?

Water Supply:

Kitchen Facilities:

Type of Water Supply:

Personal Hygeine & Restrooms:

COMMUNICATIONS:

Computer:

Radio Frequencies:

Fax:

Fax Number:

Computer:

 Type/Brand:

 Drives/Size:

 Modem:

Modem Speed:

Fax Capable:

Fax Number:

Teletype:

Does the EOC have communications capabilities with the following?

Fire: Local Warning Activation:

Health: Public Health:

EAS Station: State EOC:

State Radio: Adjoining EOC's:

Search & Rescue:

Staff Alerting:

NAWAS:

Does the EOC have access to sandbags?

Number Available:

WARNING POINT:

Facility Name:

Address:

Supervisor:

Phone Number:

 24 Hour Operation?

Phone Number:

 Number of Dispatchers:

 Number Trained in Warning Procedures:

Location of Equipment:

County Warning Plan:
Type of Warning Point:
Local Telephone?
Cellular Phone?
Satellite Phone?
Radio?

Date:

Frequencies:

Hi/Low Band?

Sirens?
Other?

Number Controlled?

Is the Warning Point authorized immediate dissemination of Severe Weather or other emergencies?

Is there a written SOP in place detailing the operation of the Warning Point and procedures to follow for a line of succession?

Is Emergency Power available?

Type:

Automatic

Manual

NAWAS POINT INFORMATION:

Facility:
Supervisor:
Address:

Warning Plan? Yes No

NAWAS Circuit Number:

Is there a back-up NAWAS Warning Point? Yes No

(Report NAWAS problems to South Dakota Division of Emergency Management - 773-3231)

COUNTY EMERGENCY MANAGER:

Name:
Address:

Phone Numbers:
Office:
Home:
Cellular:
Fax:
Pager:
Other: